Application No.: 10/748,281 Docket No.: ION-0221

AMENDMENTS TO THE CLAIMS, COMPLETE LISTING OF CLAIMS IN ASCENDING ORDER WITH STATUS INDICATOR

Please amend the following claims as indicated.

(Currently Amended) A two-pack type curable resin composition comprising:

 a first liquid containing a silyl group-denatured urethane prepolymer having an
 isocyanate group and an alkoxysilyl group in one molecule thereof and a weight average
 molecular weight of 500 or more; and

a second liquid containing a curing agent.

wherein the isocyanate group of the silyl group-denatured urethane prepolymer or the polyisocyanate compound bonds to a secondary or tertiary carbon atom except aromatic carbon atom.

2. (Original) The curable resin composition according to claim 1, wherein the silyl group-denatured urethane prepolymer comprises a reaction product obtained by reacting a polyisocyanate compound having two or more isocyanate groups in one molecule thereof; and

a silane compound having a primary or secondary amino group and an alkoxysilyl group in one molecule thereof.

- 3. (Canceled).
- 4. (Canceled).
- 5. (Original) The curable resin composition according to claim 1, wherein the first liquid further contains an epoxy resin.
- 6. (Original) The curable resin composition according to claim 2, wherein the first liquid further contains an epoxy resin.
 - 7. (Canceled).

Application No.: 10/748,281 Docket No.: ION-0221

8. (Original) The curable resin composition according to claim 1, wherein the second liquid contains a polyamine compound as the curing agent.

- 9. (Original) The curable resin composition according to claim 2, wherein the second liquid contains a polyamine compound as the curing agent.
 - 10. (Canceled).
 - 11. (Canceled).
- 12. (Original) The curable resin composition according to claim 8, wherein the second liquid further contains as the curing agent an alkoxysilyl group-condensation catalyst.
- 13. (Original) The curable resin composition according to claim 9, wherein the second liquid further contains as the curing agent an alkoxysilyl group-condensation catalyst.
 - 14. (Canceled).
 - 15. (Canceled).
- 16. (New) The curable resin composition according to claim 1, wherein the activity of said isocyanate group is inhibited to improve the storage stability of said first liquid.
- 17. (New) The curable resin composition according to claim 2, wherein the activity of said isocyanate group is inhibited to improve the storage stability of said first liquid.